




Insectscreen

—
COLLECTION 2018-2021
KEEP INSECTS OUT



**Make any room
an insect-free zone.
Meet Insectscreen.**




Insectscreen




Insectscreen




Colours & references




RI grey 18x16



QI grey 18x16



RI black 18x16



QI black 18x16


TECHNICAL SPECIFICATION	UNITY	RESULT
composition		fabric or plastified glassfibre 36% - PVC 64%
weight	g/m ²	18x16 ca. 120 g ± 10%
thickness	mm	ca. 0,31 mm ± 0,05
density yarn	yarn/inch	warp + weft 18x16
roll length		30 m - 90 m
cleaning		with soapy water
confection		by heat, high frequency or ultrasonic welding

These properties are given as indicative and don't have any contractual value

Insectscreen				60 cm	70 cm	80 cm	90 cm	100 cm	120 cm	140 cm	150 cm	160 cm	170 cm	180 cm	200 cm	220 cm	240 cm	260 cm	280 cm
DIY (variabel)	grey	18x16	30 lm	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
			90 lm	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	black	30 lm			•		•	•				•							
Stiff (RI)	grey	18x16	90 lm					•	•	•		•	•	•	•	•	•	•	•
	black											•	•					•	•
Soft (QI)	grey	18x16	90 lm	•		•	•	•	•	•		•			•	•			
	black				•			•	•				•						



Insectscreen RI grey 18x16




Bellavista



Bellavista



Colours & references



Bellavista black 20x20

Bellavista black 20x20

TECHNICAL SPECIFICATION	UNITY	RESULT
composition		Glassfibre 38% - PVC 62%
weight	g/m ²	ca. 86,2 g +/-5%
thickness	mm	ca. 0,26mm
density yarn	yarn/inch	warp + weft 20x20 - 7,8 yarns/cm
roll length	lm	30 lm - 90 lm
roll width	cm	70 - 80 - 90 - 100 - 130 - 160 - 260
colours		black

These properties are given as indicative and don't have any contractual value

Bellavista				70 cm	80 cm	90 cm	100 cm	120 cm	130 cm	140 cm	150 cm	160 cm	170 cm	180 cm	200 cm	220 cm	240 cm	260 cm	280 cm
	colour	density	length																
Stiff	black	20x20	30 lm	•	•	•	•		•			•						•	
			90 lm	•	•	•	•												



Xtra Screen




Xtra Screen



Colours & references



Xtra Screen anthracite



Xtra Screen black

Xtra Screen anthracite




TECHNICAL SPECIFICATION	UNITY	RESULT
composition		polyester PVC coated
weight	g/m ²	ca. 415 g ± 10%
thickness		ca. 0,83mm
roll length		30 m - 90 m
cleaning		with soapy water
confection		by heat, high frequency or ultrasonic welding

These properties are given as indicative and don't have any contractual value

Xtra Screen		120 cm	160 cm	180 cm
colour	length			
anthracite	50 lm	•		•
black	50 lm	•	•	



any room insect-free





Rijksweg 125, 8531 Bavikhove - Belgium · T +32 (0)56 35 35 33 · F +32 (0)56 35 80 48 · www.copaco.be